

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

RECEIVED

'98 JAN -6 AIO:35

ASSIGNMENT OF APPLICATION OR PERMIT TO APPROPRIATE WATER

\$5.00 ASSIGNMENT FEE

I, Stephen A. Hansford/Thomas Ketenberg, deceased, of Pierce County
(Applicant/Permittee) (County)
Washington, do hereby assign, transfer and set over unto Evergreen Acres
(State) (Assignee)
Homeowner's Association of 11-345th St. E., Roy WA 98580
(Address)
360-458-1748, all of my right, title and interest in and to permit
(Phone Number) (Application/Permit)
Number 62-2-8223 for the appropriation of waters of well
(Stream, Lake, Spring, Well, etc.)
in Pierce County, as said permit appears of record in the
(Application/Permit)
office of the Department of Ecology, Olympia, Washington.

Witness my hand this 12th day of December, 19 97.

Applicant(s) Permittee

Evergreen Acres Homeowner's Association
Assignee

STATE OF WASHINGTON

County of Pierce

ss.

I Stephen A. Hansford, being first duly sworn, depose and say that I have
(Applicant/Permittee)
read the above Assignment of Application or Permit to Appropriate Water; that I know the contents thereof; and that the
facts therein stated are true.

IN WITNESS WHEREOF, I have hereunto set my hand this 12th day of December, 19 97.

(Applicant/Permittee)

Subscribed and sworn to before me this 12th day of December, 19 97.

Notary Public

assignment OK
Send letter
1/13/98
cc



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

January 16, 1998

Evergreen Acres Homeowners Assoc
11 - 345th Street E
Roy, Washington 98580

Dear Sir or Madame:

Effective January 13, 1998, Water Permit No. G2-28223 is hereby assigned to you from Stephen A. Hansford/Thomas Ketzenberg of Roy, Washington.

Sincerely,

Sheri Carroll
Water Resources

SC:th





STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

November 21, 1997

Birkey/Hansfords Water System
122 - 345th Street E
Roy, Washington 98580

Dear Sir or Madame:

Re: Ground Water Permit No. G2-28223

We have received your Notice of Completion of Construction in connection with the above referenced permit.

Enclosed is a Proof of Appropriation form which is to be filed when the water has actually been put to full beneficial use. This form is not to be filed until the water has been put to full use. If you cannot put the water to full beneficial use by, March 1, 1998, you must contact this office.

The fees for filing and recording your final certificate of water right are:

\$5.00 payable to the Department of Ecology
and
\$9.00 payable to the Pierce County Auditor

Also, the County Auditor is requiring that we have the parcel number for your property added to your Certificate. Please provide the parcel number for the point of withdrawal/diversion and the place of use, if different.

Please send two separate remittances and the completed Proof of Appropriation form (with notarized signature) to this office.

Sincerely,

Sheri Carroll
Water Resources

SC:th
Enclosure




10/23/97

01:29

4070284

002

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

CONSTRUCTION NOTICE

☐ BEGINNING OF CONSTRUCTION☒ COMPLETION OF CONSTRUCTION

RECEIVED

'97 OCT 27 AIO:28

CLARK COUNTY
S.W. REGIONAL OFFICE

NAME <u>Birkey/Hansford's Water System</u>	SURFACE WATER PERMIT NO.	GROUND WATER PERMIT NO. <u>G2-28223 P</u>
DATE CONSTRUCTION BEGAN	DATE CONSTRUCTION COMPLETED <u>11-15-96</u>	DATE COMPLETION EXPECTED

IF CONSTRUCTION NOT COMPLETE, SHOW % COMPLETED AS OF THIS DATE

% EQUIPMENT IN PLACE <u>100%</u>	% MATERIAL IN PLACE <u>100%</u>	% EXCAVATED <u>100%</u>	% STRUCTURE <u>100%</u>
-------------------------------------	------------------------------------	----------------------------	----------------------------

IF CONSTRUCTION HAS BEEN ABANDONED

DATE ABANDONED	REASON ABANDONED
----------------	------------------

REMARKS OR ANY ADDITIONAL INFORMATION WHICH MAY TEND TO SHOW GOOD FAITH IN THE PROSECUTION OF THE WORK

I certify I am the holder of the above permit issued by the Department of Ecology for the State of Washington, and in accordance with the terms of such permit and the limitations endorsed by the Department of Ecology have ☐ begun ☒ completed the actual construction of the work described in the permit.

ACK send PA
11/10/97
SL

Birkey/Hansford's Water System
Signature of Applicant

122 345th St. E.
Present Address

Roy, Wa 98580
City, State, Zip Code



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

July 2, 1997

Birkey Hanfords Water System
32519 Mountain Hwy
Eastonville WA 98328-9768

Dear Sir or Madame:

Re: Ground Water Permit No. G2-28223

We are in the process of updating our records and it has come to our attention you have not submitted a completion of construction form for your project.

If the work has been completed on your project, please complete the enclosed form. If not, you must request an extension of time to complete your project. Please submit a statutory extension fee of \$5.00 payable to the Department of Ecology along with the request to extend your permit for one year.

By statute, projects under permit must be pursued with diligence, and good cause for granting an extension must be shown. A report of progress made during the past year must be included with your request for extension.

If you have any questions regarding this matter, please call me in Olympia at (360) 407-0240.

Sincerely,

Sheri Carroll
Shorelands & Water Resources

SC:th
Enclosure



CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

March 2, 1993

Birkey/Hansford Water System
32519 Mountain Highway
Eatonville, Washington 98382-9768

Dear Sir or Madame:

Re: Ground Water Permit No. G 2-28223 P

Enclosed is Permit No. G 2-28223 P, together with a form for filing Notice of Beginning of Construction when the work is started. If you cannot start your project by March 1, 1993 you must contact this office.

Please read the enclosed information sheet, as well as both sides of your permit.

Sincerely,

Gale Blomstrom
Water Resources Supervisor

GB:lo
Enclosure

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

November 24, 1992

Thomas Ketzenberg
Birkey/Hansford Water System
32519 Mountain Highway
Eatonville, WA 98328-9768

Dear Mr. Ketzenberg:

Re: Ground Water Permit No. G 2-28223

Your application has been approved. A permit will be issued after the required 30 day appeal period and upon payment of the statutory fee. Enclosed is the Report of Examination summarizing our findings and recommendations.

Issuance of this permit is an appealable decision under Chapter 43.21B Revised Code of Washington. To submit an appeal, contact the Pollution Control Hearings Board of Washington, within 30 days of receiving this letter. A copy of the appeal should also be sent to the Director of the Department of Ecology. Procedures for requesting a hearing may be obtained from this department.

Please send your permit fee of \$20.00 within 30 days. Make your check payable to Department of Ecology.

Sincerely,

Gale Blomstrom
Water Resources Supervisor

GB:ds
Enclosure

Permit fee OK send
Permit 2/17/93
JR

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

February 2, 1993

Thomas L. Ketzenberg
32519 Mt Hwy
Eatonville, Washington 98328-9768

Dear Mr. Ketzenberg:

Re: Ground Water Permit No. G 2-28223

This office sent you a Report of Examination approving your application and requesting you to submit the statutory permit fee of \$20.00 payable to the Department of Ecology.

If we do not receive the permit fee within thirty (30) days from receipt of this letter, we will assume you are no longer interested in the development of this project and the application will be canceled.

Sincerely,

Sheri Fox
Water Resources

SF:th

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

November 24, 1992

Thomas Ketzenberg
Birkey/Hansford Water System
32519 Mountain Highway
Eatonville, WA 98328-9768

Dear Mr. Ketzenberg:

Re: Ground Water Permit No. G 2-28223

Your application has been approved. A permit will be issued after the required 30 day appeal period and upon payment of the statutory fee. Enclosed is the Report of Examination summarizing our findings and recommendations.

Issuance of this permit is an appealable decision under Chapter 43.21B Revised Code of Washington. To submit an appeal, contact the Pollution Control Hearings Board of Washington, within 30 days of receiving this letter. A copy of the appeal should also be sent to the Director of the Department of Ecology. Procedures for requesting a hearing may be obtained from this department.

Please send your permit fee of \$20.00 within 30 days. Make your check payable to Department of Ecology.

Sincerely,

A handwritten signature in cursive script that reads "Gale Blomstrom".

Gale Blomstrom
Water Resources Supervisor

GB:ds
Enclosure

REPORT OF EXAMINATIONS
Routing Slip

File No. G-228223

	<u>Initial</u>	<u>Date</u>
Author	<u>[Signature]</u>	<u>11/4/92</u>
Tracking	<u>[Signature]</u>	<u>11/4/92</u>
Typist	<u>Deb</u>	<u>11-4-92</u>
Proofed by Typist	<u>TH</u>	<u>11-4-92</u>
Checked by Reviewer (1)	<u>[Signature]</u>	<u>11-10-92</u>
Checked by Reviewer (2)	<u>[Signature] mp</u>	<u>11-12-92</u>
Proofed by Author	<u>[Signature]</u>	<u>11/17/92</u>
Author's Signature	<u>[Signature]</u>	<u>11/18/92</u>
Reviewed by HG Name _____	_____	_____
Lead Permit Writer Approval	<u>VW</u>	<u>11/18/92</u>
Section Supervisor Approval and Signature	<u>gb</u>	<u>11/22/92</u>

Mail Copies of Report to:

- 1) Fisheries _____
- _____
- 2) Wildlife _____
- _____
- 3) Tribal _____
- _____
- 4) Protestant (s) _____
- _____
- 5) Dept. of Health _____
- _____
- 6) Others _____
- _____

Enclosures:

- 1) Interim Guidelines X
- 2) Wac's _____
- 3) GW Bulletin #1 _____
- 4) Others _____

Mail Originals and cc's

TH 11/24/92

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

September 4, 1991

Thomas Ketzenberg
32519 Mountain Highway
Eatonville, Washington 98328

Re: Ground Water Application No. G 2-28223

Dear Mr. Ketzenberg:

We acknowledge receipt of your affidavit of publication of notice in connection with the above-numbered application.

The water codes require that no action be taken toward issuance of a permit earlier than thirty (30) days after the last date of publication. This period of time is allowed for filing any protests or objections.

A site investigation will be made by this office before we issue a permit decision. In light of our water right backlog, we estimate it will be 12 months after receipt of your application before we are able to conduct the site investigation.

Sincerely,

Sheri Fox
Water Resources

SF:1e(12A)

AFFIDAVIT OF PUBLICATION

State of Washington, County of Pierce, ss:

James E. Martin-Almy, Jamie Martin-Almy, Marge Powell, being first duly sworn on oath depose and say that they are publishers or publishers' authorized representatives of THE SOUTH PIERCE COUNTY DISPATCH, a weekly newspaper.

That said newspaper is a legal newspaper and it is now and has been for more than six months prior to the date of publication herein-after referred to, published in the English language continually as a weekly newspaper, in Eatonville, Pierce County, Washington, and it now and during all of said time was printed in an office maintained at the afore-said place of publication of said newspaper. That the annexed is a true copy of this legal advertisement as it was published in regular issues (and not in supplement form) of said newspaper for 2 consecutive weeks. First publication was on the 21 day of 8, 1991 and last publication on the 21 day of 8, 1991 and that such newspaper was regularly distributed to its subscribers during all of said periods.

Subscribed and sworn to before me this 21 day of 8, 1991

Notary Public in and for the State of Washington, residing at Eatonville.

3 SEP 91 3:52

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY
NOTICE OF APPLICATION TO
APPROPRIATE PUBLIC WATERS

TAKE NOTICE:

That Thomas L. Kerzenberg of Eatonville, Washington on July 24, 1991, under Application No. G228223 filed for permit to appropriate public waters, subject to existing rights, from a well in the amount of 40 gallons per minute as needed year round each year, for group domestic supply. The source of the proposed appropriation is located with NW 1/4, 1/4 sec 1/4 of Section 21, Township 17 N, Range 3 E, W.M., in Pierce County.

Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the department of Ecology, at the address shown below, within thirty (30) days from August 21, 1991.

DEPARTMENT OF ECOLOGY
SWM REGIONAL OFFICE

7272 CLEANWATER LN. MS LU-11
OLYMPIA, WA 98504-6811

To be published in the Dispatch on August 14 and 21, 1991.

affidavit ok
9/4/91 SF

CHRISTINE O. GREGOIRE
Director



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

July 29, 1991

Thomas L. Ketzenberg
Birkey/Hansford
32519 Mountain Highway
Eatonville, Washington 98328

Re: Ground Water Application No. G 2-28223

Dear Mr. Ketzenberg:

Your application for the appropriation of water has been assigned the above referenced number. Please refer to this number in future correspondence.

Enclosed is a notice of your application which must be published once a week for two consecutive weeks in a qualified legal newspaper of general circulation in Pierce County. A list of these newspapers in your county is enclosed. The applicant is responsible for the payment of the publication. Please read the notice carefully to make sure it is correct. Should you find an error, please return the notice to our office for correction.

You should mail or deliver the enclosed notice to a newspaper regarding publication as soon as possible. When you receive the affidavit of publication with the news clipping from the newspaper, please forward the original to this office promptly.

Since your application is for service of more than one residence, it is considered a public water supply. Public water supply systems are required to be approved by either the local health department or the Department of Social and Health Services (DSHS), depending upon system size. If you have not already done so, I suggest that you contact your local health department or DSHS, Water Supply and Waste Section, Mail Stop LD-11, Olympia, Washington 98504, for further information.

A site investigation will be made by this office before we issue a permit decision. In light of our water right backlog, we estimate it will be about 12 months after receipt of your application before we are able to conduct the site investigation.

Sincerely,

Sheri Fox
Water Resources

NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

TAKE NOTICE:

ThatThomas L. Ketzenberg.....
ofEatonville, Washington..... onJuly 24, 1991..... under
Application No. **6228223** filed for permit to appropriate public waters, subject to existing rights,
froma well.....
in the amount of40 gallons per minute as needed year round.....
each year, forgroup domestic supply.....

The source of the proposed appropriation is located withinNW¼ SE¼.....
.....
.....
of Section21....., Township.....17..... N., Range3E..... W.M., inPierce..... County.

Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from

.....
(Last date of publication to be entered above by publisher)

* Notice must be published once a week for two consecutive weeks.

.....
DEPARTMENT OF ECOLOGY
SOUTHWEST REGIONAL OFFICE
7272 CLEANWATER LANE, MS LU-11
OLYMPIA, WA 98504-6811
.....

NOTICE